



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/977,636	10/15/2001	William P. Apps	RPC 0554 PUS	4010
33171	7590	10/20/2004	EXAMINER	
KONSTANTINE J. DIAMOND			CASTELLANO, STEPHEN J	
4010 E. 26TH STREET			ART UNIT	
LOS ANGELES, CA 90023			PAPER NUMBER	
			3727	

DATE MAILED: 10/20/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

# Notice of Allowability

Application No.

09/977,636

Examiner

Stephen J. Castellano

Applicant(s)

APPS ET AL.

Art Unit

3727

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to brief filed 4/8/04.
2. ☒ The allowed claim(s) is/are 1-7.
3. ☒ The drawings filed on 01 March 2002 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All b) ☐ Some\* c) ☐ None of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

  
Stephen Castellano  
Primary Examiner

Art Unit: 3727

The following is an examiner's statement of reasons for allowance:

Claim 1 states "a single-walled lower wall construction comprising adjacent column members which extend between the upper band portion and the floor portion." Claim 1 includes a handle opening with a lower handle member and the statement "with at least one column member from the lower handle member to the floor portion." In Hammett ('065), the handle opening is only defined by an upper portion of the handle opening (the upper band has only a small height when compared to the overall height of the upper band in areas remote from handle). The wall panels 72 in Hammett are portions of the lower section and do not fairly teach a portion of the upper band when read in light of Hammett's specification. The separation and distinction of the upper band from the lower section of the wall is clearly evident from Fig. 10 where it is shown that a substantial distance separates the band portion at handle 70 from the wall panels 72 and that no tapered surface 92, 94, 96 connects the handle 70 with wall panel 72.


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen J. Castellano whose telephone number is 703-308-1035. The examiner can normally be reached on M-Th 6:30-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lee W. Young can be reached on 703-308-2572. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3727

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
Stephen J. Castellano  
Primary Examiner  
Art Unit 3727

sjc